TOPCRET Page: 1/7

SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 453/2010

SELLADOR (Sealer)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : SELLADOR (Sealer)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use Protective sealer for coverings

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: : TOPCRET TECNOLOGIA EN REVESTIMIENTOS S.L.

Gran Vía de Les Corts Catalanes, 828

08013 Barcelona - España

Telephone :+34 932 741 208
Contact Person :info@topcret.com

1.4 Emergency telephone number

Toxicological Information Medical Service 91 562 04 20

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Directive criteria, 67/548/CE, 99/45/EC and following amendments thereof:

Properties / Symbols:

This product is not a hazardous article and need not be labelled according to EC Directive 67/548, 99/45 as amended.

EC regulation criteria 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Symbols:

None

Hazard statements:

None

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

Special Provisions:

None

Contents

METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE: May produce an allergic

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 453/2010 Sellador (Sealer)

Page: 2/7

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of EEC directive 67/548 and CLP regulation and related classification:

>= 5% - < 7% 2-(2-BUTOXYETHOXY)ETHANOL; DIETHYLENE GLYCOL MONOBUTYL ETHER REACH No.: 01-2119475104-44, Index number: 603-096-00-8, CAS: 112-34-5, EC: 203-961-6 Xi: R36

>= 1% - < 3% ETHANEDIOL; ETHYLENE GLYCOL

REACH No.: 01-2119456816-28, Index number: 603-027-00-1, CAS: 107-21-1, EC: 203-473-3 Xn: R22

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Store away from sunlight.

Store in a cool and well ventilated place.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ETHANEDIOL; ETHYLENE GLYCOL - CAS: 107-21-1

ACGIH - STE(15min): 100 mg/m3 - Notes: TLV - Ceiling - Skin

EU - LTE(8h): 52 mg/m3, 20 ppm - Notes: OEL - Skin

DNEL Exposure Limit Values

2-(2-BUTOXYETHOXY)ETHANOL; DIETHYLENE GLYCOL MONOBUTYL ETHER - CAS:

112-34-5

Worker Industry: 67.5 mg/m3 - Consumer: 34 mg/m3 - Exposure: Human Inhalation -

Frequency: Long Term (repeated)

Worker Industry: 20 mg/kg - Consumer: 10 mg/kg - Exposure: Human Dermal -

Frequency: Long Term, systemic effects

Worker Industry: 101.2 mg/m3 - Consumer: 50.6 mg/m3 - Exposure: Human Inhalation -

Frequency: Short Term, local effects

Consumer: 1.25 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

PNEC Exposure Limit Values

2-(2-BUTOXYETHOXY)ETHANOL; DIETHYLENE GLYCOL MONOBUTYL ETHER - CAS:

112-34-5

Target: Marine water - Value: 0.1 mg/l

Target: Marine water sediments - Value: 0.4 mg/kg

Target: Microorganisms in sewage treatments - Value: 200 mg/l

Target: Soil (agricultural) - Value: 0.4 mg/kg

8.2. Exposure controls

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Not needed for normal use.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance and colour: Opaque liquid, creamy white

Odour: Technical
Odour threshold: Evident
pH: 7,7 +/- 0,5
Melting point / freezing point: N.A.

Initial boiling point and boiling range: >= 100 °C

Solid/gas flammability: N.A.

Upper/lower flammability or explosive limits: N.A.

Vapour density:

Flash point:

Evaporation rate:

Vapour pressure:

Relative density:

Solubility in water:

Solubility in oil:

N.A.

N.A.

1,018 g/ml

Total

None

Partition coefficient (n-octanol/water): < 1000

Auto-ignition temperature: N.A.
Decomposition temperature: N.A.
Viscosity: < 10 cP
Explosive properties: N.A.
Oxidizing properties: N.A.

9.2. Other information

Miscibility: N.A. Fat Solubility: N.A. Conductivity: N.A.

Substance Groups relevant properties
Not Relevant

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

None

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

SECTION 11: Toxicological information

11.1. Information on toxicological effects Toxicological information of the mixture:

N.A.

```
Toxicological information of the main substances found in the mixture:
           2-(2-BUTOXYETHOXY)ETHANOL; DIETHYLENE GLYCOL MONOBUTYL ETHER - CAS:
           112-34-5
           a) acute toxicity:
                 Test: LD50 - Route: Oral - Species: Rat = 2410 mg/kg
                 Test: LD50 - Route: Skin - Species: Rabbit = 2764 mg/kg
                 Test: LC50 - Route: Inhalation - Species: Rat > 29 ppm - Duration: 2h
           ETHANEDIOL; ETHYLENE GLYCOL - CAS: 107-21-1
           a) acute toxicity:
                 Test: LD50 - Route: Oral - Species: Rat = 4000 mg/kg
                 Test: LD50 - Route: Skin - Species: Rabbit = 9530 mg/kg
           2-(2-BUTOXYETHOXY)ETHANOL; DIETHYLENE GLYCOL MONOBUTYL ETHER - CAS:
           112-34-5
                 LD50 (RAT) ORAL: 6560 MG/KG
                 LD50 (RABBIT) SKIN: 4120 MG/KG
           ETHANEDIOL; ETHYLENE GLYCOL - CAS: 107-21-1
                 LD50 (RABBIT) ORAL: 5017 MG/KG BW
     If not differently specified, the information required in Regulation 453/2010/EC listed below must be
     considered as N.A.:
           a) acute toxicity:
           b) skin corrosion/irritation:
           c) serious eve damage/irritation:
           d) respiratory or skin sensitisation:
           e) germ cell mutagenicity;
           f) carcinogenicity;
           g) reproductive toxicity;
           h) STOT-single exposure:
           i) STOT-repeated exposure:
           i) aspiration hazard.
SECTION 12: Ecological information
     12.1. Toxicity
           Adopt good working practices, so that the product is not released into the environment.
           2-(2-BŮTOXYETHOXY)ETHANOL; DIETHYLENE GLYCOL MONOBUTYL ETHER - CAS:
           a) Aquatic acute toxicity:
                 Endpoint: LC50 - Species: Fish = 1300 mg/l - Duration h: 96 - Notes: Lepomis
                 macrochirus
                 Endpoint: EC50 - Species: Daphnia > 100 mg/l - Duration h: 48 - Notes: Daphnia magna
                 Endpoint: EC50 - Species: Algae > 100 mg/l - Duration h: 72
           ETHANEDIOL; ETHYLENE GLYCOL - CAS: 107-21-1
           a) Aquatic acute toxicity:
                 Endpoint: LC50 - Species: Fish = 10001 mg/l - Duration h: 96
                 Endpoint: EC50 - Species: Daphnia = 10001 mg/l - Duration h: 48
                 Endpoint: EC50 - Species: Algae = 10001 mg/l - Duration h: 72
     12.2. Persistence and degradability
           None
           N.A.
     12.3. Bioaccumulative potential
           N.A.
```

12.4. Mobility in soil N.A.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects
None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

N.A.

14.3. Transport hazard class(es)

N.A.

14.4. Packing group

N.A.

14.5. Environmental hazards

Marine pollutant: No

N.A.

14.6. Special precautions for user

N A

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code N A

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 67/548/EEC (Classification, packaging and labelling of dangerous substances)

Dir. 99/45/EC (Classification, packaging and labelling of dangerous preparations)

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Dir. 2006/8/EC

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP)

Regulation (EU) n. 453/2010 (Annex I)

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation

(EC) 1907/2006 (REACH) and subsequent modifications:

None

Where applicable, refer to the following regulatory provisions:

Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments.

Regulation (EC) nr 648/2004 (detergents).

1999/13/EC (VOC directive)

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of phrases referred to in Section 3:

R22 Harmful if swallowed.

R36 Irritating to eyes.

H319 Causes serious eye irritation.

H302 Harmful if swallowed.

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van

Nostrand Reinold CCNL - Appendix 1

Insert further consulted bibliography

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO).

IMDG: International Maritime Code for Dangerous Goods.
INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LTE: Long-term exposure.

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

bv Rail.

STE: Short-term exposure.

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day.

(ACGIH Standard).

WGK: German Water Hazard Class.